

New Jersey Division of HIV/AIDS Services
Persons Living with HIV/AIDS as of June 30, 2004
Cliffside Park Residents

1. Current HIV/AIDS Category	Adult/Adolescent *		Pediatric *		Total	
	Cases	%	Cases	%	Cases	%
-----	-----	---	-----	---	-----	---
AIDS-Any OI	17	28	0	0	17	27
AIDS-CD4 Only	#	#	#	#	21	34
HIV Only	#	#	#	#	24	39
-----	-----	---	-----	---	-----	---
Total	61	100	#	#	62	100

Current			3. Race/Eth.	Adult/Adl*		Pediatric*		Total	
Age *	Cases	%		Cases	%	Cases	%	Cases	%
-----	-----	---	-----	-----	---	-----	---	-----	---
<5	0	0	White, Not Hispanic	40	66	0	0	40	65
5-12	#	#	Black, Not Hispanic	#	#	#	#	#	#
13-19	0	0	Hispanic	#	#	#	#	16	26
20-29	#	#	Other/Unknown	#	#	#	#	#	#
30-39	15	24	-----	-----	---	-----	---	-----	---
40-49	28	45	Total	61	100	#	#	62	100
50+	17	27							
Unk.	0	0							
-----	-----	---							
Total	62	100							

4. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Men sex with men (MSM)	24	59	0	0	24	39
Injection drug user (IDU)	5	12	6	30	11	18
MSM/IDU	#	#	0	0	#	#
Heterosexual contact	#	#	#	#	#	#
Risk not reported/other***	9	22	5	25	14	23
-----	-----	---	-----	---	-----	---
Total	41	100	20	100	61	100

	Pediatric Transmission Modes					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Parent at risk/has AIDS/HIV	#	#	#	#	#	#
Risk not reported/other***	0	0	0	.	0	0
-----	-----	---	-----	---	-----	---
Total	#	#	#	#	#	#

NOTE: Includes only those persons known to be infected with HIV.

Indicates that number is not shown due to small cell size,
in accordance with NJDHSS security and confidentiality policies.

* Classification based on current age at the end of June 2004.

** 0 patients are currently of adult/adolescent age (13+ years old), but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2, and 3, and as pediatric reports in table 4.

*** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services
AIDS Cases Reported as of June 30, 2004
Cliffside Park Residents

1. Disease Category	Adult/Adolescent*		Deaths (%)	Pediatric*		Deaths (%)	Total	
	Cases	(%)		Cases	(%)		Cases	(%)
PCP	27	(33)	18 (69)	0	(.)	0 (.)	27	(33)
Other OI w/o PCP	25	(30)	18 (72)	0	(.)	0 (.)	25	(30)
KS Alone	#	(#)	# (#)	0	(.)	0 (.)	#	(#)
No Disease Listed	#	(#)	# (#)	0	(.)	0 (.)	#	(#)
Total	82	(100)	44 (56)	0	(.)	0 (.)	82	(100)

2. Age *	Cases		3. Race/Eth.	Adult/Adl*		Pediatric*	Total	
	Cases	%		Cases	%		Cases	%
Under 5	0	0	White, Not Hispanic	61	74	0	61	74
5-12	0	0	Black, Not Hispanic	#	#	0	#	#
13-19	#	#	Hispanic	14	17	0	14	17
20-29	#	#	Other/Unknown	#	#	0	#	#
30-39	37	45	-----	-----	---	-----	-----	---
40-49	26	32	Total	82	100	0	82	100
Over 49	10	12						
Unknown	0	0						
Total	82	100						

4. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
Men sex with men (MSM)	35	56	0	0	35	43
Injection drug user (IDU)	14	22	7	37	21	26
MSM/IDU	#	#	0	0	#	#
Heterosexual contact	#	#	#	#	#	#
Risk not reported/other***	10	16	#	#	14	17
Total	63	100	19	100	82	100

	Pediatric Transmission Modes					
	Males	%	Females	%	Total	%
Parent at risk/has AIDS/HIV	0	.	0	.	0	.
Risk not reported/other***	0	.	0	.	0	.
Total	0	.	0	.	0	.

indicates that number is not shown due to small cell size,
in accordance with NJDHSS security and confidentiality policies.

* Classification at time of AIDS diagnosis.

** 0 patients were diagnosed with AIDS as adults, but have evidence either of having been HIV-infected or of having acquired AIDS as children. They are counted as adult/adolescent reports in tables 1,2, and 3; and as pediatric reports in table 4.

*** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services
AIDS Cases Reported as of June 30, 2004
Cliffside Park Residents

5. AIDS Cases by Year of Diagnosis.

Year of Diagnosis -----	Number of Cases -----	Number of Deaths -----	Case-Fatality Rate -----
Before 1985	#	#	#
1986	#	#	#
1987	#	#	#
1988	9	6	67%
1989	#	#	#
1990	5	#	#
1991	#	#	#
1992	#	#	#
1993	10	5	50%
1994	6	5	83%
1995	6	#	#
1996	9	#	#
1997	5	#	#
1998	#	#	#
1999	5	#	#
2000	#	#	#
2001	#	#	#
2002	#	#	#
2003	#	#	#
2004	#	#	#
-----	-----	-----	-----
Total	82	44	54%